

# Span Wire Clamp

## SWC-375A

### Die-Cast Aluminum Construction

**47,000 P/S/I  
TENSILE STRENGTH**

- **Stainless Steel Bushings Prevent Wear in the Pivot Holes**
- **"U" Bolts and 5/8" Clevis Pin available in Stainless or Plated Steel**
- **Powder-Coated or Natural Finish**



Please specify powder-coated finish when ordering



General Traffic Equipment's SWC-375A is a high-strength alternative for malleable iron clamps, with the corrosion resistance of aluminum. High-strength die-cast aluminum is used in the casting (47,000 P/S/I tensile strength), and #316 stainless steel bushings are used in the pivot holes. The result is a durable, low-cost, span wire clamp that will endure many years of abusive high winds in coastal communities. The SWC-375A will adapt easily to any wire entrance head or balance adjuster. The clamp accommodates up to 5/8" messenger wire.

MODEL	DESCRIPTION
SWC-375A-SS	Span Wire Clamp, Stainless Steel "U" Bolts, Clevis Pin, Washers & Nuts
SWC-375A	Span Wire Clamp, Plated Steel "U" Bolts, Clevis Pin; All other hardware is stainless



**General  
Traffic  
Equipment  
Corporation**

**(845) 569-9000**

**TOLL FREE:**

**(800) 222-2828**

**FAX: (845) 569-1800**

**E-MAIL:**

**gtec corp@aol.com**



**259 Broadway, Newburgh, NY 12550**